

VIP Mini LED



VIP Mini, a new, subtle and miniaturized lighting luminaire, is enlarging the offer of VIP products. The body made of aluminum profile, the direct (DI) lighting beam. Light source: LEDs. As in the case of VIP, the additional accessories allow various configurations of lighting luminaires. Power factor: $\cos > 0,95$.

Materials: Powder painted aluminum profile (standard color: grey); microprismatic diffuser (MPRM).

Installation: Surface mounted, wall mounted, suspended.

Accessories: Joints (linear, 90°, T, X, wall, ceiling); suspensions (simple, electric), end caps.

Power: 230V, the quick-release 5-pole connection block allows to join the luminaires in line by sections, PUSH DIMM regulations on request. Not available with emergency module.

ELECTRICAL DATA

Light source	LED
Number of light sources	1
Type of equipment	AC
Voltage rating	230 V
Light source included	Yes
Type of LED	5630

MECHANICAL DATA

Housing material	Aluminum
------------------	----------

INFORMATION

Colour	Grey
--------	------

CERTIFICATES

Degree of protection (IP)	IP20
Class of protection	I
Light source protection	Yes
Energy class	A+
CE	Yes
PZH	Yes
EAC	Yes

LIGHT DATA

Light colour	White
Color rendering index	80
Light distribution	Mid beam
Class of luminaire	I


OPTICAL DATA

Louver/ shutter	MPRM
Diffuser colour	None
Diffuser material	Prismatic plastic

AVAILABLE VARIANTS

Product code	Light source power [W]	Type of installation	Luminaire luminous flux [lm]	Luminaire luminous efficacy [lm/W]	Colour temperature [K]	Light distribution	Info	Weight [kg]
PX0921001	1×31	Universal	3080	99	3000	DI	DI	2.00
PX0921008	1×31	Universal	3140	101	4000	DI	DI	2.00
PX0921015	1×38	Universal	3900	102	3000	DI	DI	2.50
PX0921022	1×38	Universal	3980	104	4000	DI	DI	2.50
PX0921029	1×31	Suspended	3080	99	3000	IN	IN	2.00
PX0921036	1×31	Suspended	3140	101	4000	IN	IN	2.00
PX0921043	1×38	Suspended	3900	102	3000	IN	IN	2.50
PX0921050	1×38	Suspended	3980	104	4000	IN	IN	2.50

DIMENSIONS



Product code	Length [mm]	W [mm]	H [mm]
PX0921001	1320	46	46
PX0921008	1320	46	46
PX0921015	1620	46	46
PX0921022	1620	46	46
PX0921029	1320	46	46
PX0921036	1320	46	46
PX0921043	1620	46	46
PX0921050	1620	46	46

Length = Length | W = Width | H = Height / Depth

MOUNTING HOLES

Product code	A [mm]
PX0921001	1210
PX0921008	1210
PX0921015	1510
PX0921022	1510
PX0921029	1245
PX0921036	1245
PX0921043	1545
PX0921050	1545

A = Spacing length

ACCESSORIES

Electric element



Electrical suspension
Pieces in set: 1

PX0922021

Grey

PX0922032

White

Structural element



VIP Mini End Cap

PX0922425

Grey

Connecting element



VIP Mini Invisible linear joint Set (2 pcs)
Pieces in set: 2

PX0922405

Grey



VIP Mini 90° joint

PX0922410

Grey



VIP Mini T joint

PX0922415

1x

Grey



VIP Mini Cross joint

PX0922420

1x

Grey

Installation element



VIP Mini Ceiling joint Set (2 pcs)
Pieces in set: 2

PX0922435

Grey

Installation element



VIP Mini Wall joint (2 pcs)
Pieces in set: 2

PX0922430

Grey



Simple suspension

PX0922143
