

## Brunei

### Table

---

#### Technical file

---



STACKABLE



SPARE PARTS



RECYCLABLE

---

#### Description

---

##### Frame

Manufactured with a 2 mm thick 6063-20 aluminum alloy profile.

##### Screws

Manufactured in AISI 304 stainless steel that offers great resistance to corrosion in marine environments.

##### Paint

Powder paint based on polyester resins that offers great resistance to light and outdoor environments in accordance with QUALICOAT international specifications and ISO-2409 and ISO-2360 regulations.

##### Accessories

Caps, studs and regulators made of polypropylene resin resistant to UV rays.


##### Tabletop

HPL compact board formed by 10 mm thick resins.

## Brunei

### Table

#### Capacity



A - 73,5 cm

Model	Package	Units	Measures	Weight	Volume
80x80	Box	1 u.	82x81x10 cm	15,1 kg	0,06 m <sup>3</sup>
130x80	Box	1 u.	132x81x12 cm	20,1 kg	0,11 m <sup>3</sup>
160x90	Box	1 u.	162x91x12 cm	37,6 kg	0,18 m <sup>3</sup>
190x90	Box	1 u.	192x91x12 cm	39,2 kg	0,20 m <sup>3</sup>

#### Finishes

##### Frame

Matte texture



White Aluminum Turtledove

##### Tabletop

HPL Basic



White Grey

HPL GD



Prado Moonwalk Skyline



## Brunei

### Table

---

#### Maintenance plan

---

##### Weekly

Visual check of the general condition, removing dirt and ensuring there are no broken parts or damage that could be a danger to users.

##### Monthly

Check that the aluminum structure has no damage or deep scratches.  
Check the structural strength and stability.  
Check the condition of the caps and studs.

##### Annual

Repair any damage to the paint.  
Replace any worn or damaged parts.

##### Wintering and storage

Clean with soapy water and a soft cloth.  
Remove damp stains, sand and seawater.  
Store vertically in a dry place in stacks of 10 units.

##### Observations

- Always use Balliu spare parts.
- Balliu does not manufacture parts for other brands.
- If the product is subject to heavy use, maintenance checks must be carried out more frequently.
- Do not use the product until maintenance is completed.
- Do not use aggressive chemicals to clean the product.
- Always use products with a neutral pH.
- Use a soft cloth to clean the product.

