





## **BA26S**

Backbar Cooler

## **Product Features**

- EU Energy Class A
- Approx. 59% more energy efficient than previous BA-range
- Double glazed tempered glass
- Energy saving variable speed compressor
- Self-closing sliding glass doors
- Ventilated cooling for fast pull-down and even temperature
- Easy access electronic thermostat
- Adjustable shelves behind each door
- LED interior light
- Lock

High-quality backbar with low energy consumption

The BA is our range of high-quality backbars. It has been updated and now uses in average 59% less energy compared to the previous models from the same range. This backbar has ventilated cooling for a short pull-down time to ensure that you can keep up with customer demand for cold beverages. If you need to adjust the temperature this is easily done on the electronic thermostat. The backbar cooler is made of solid materials and has adjustable chrome shelves with closely-spaced wires, which gives you a high capacity and stability. Furthermore, it has self-closing aluminium sliding doors with double glazed tempered glass. This helps save energy, but it also means a great product visibility. The BA range is also available in a variant with hinged doors.

Measures and Content		
Total Display Area	m²	0.52
Temperature Range	°C	+2 to +10
Climate Class		4
Gross / Net Weight	kg	69 / 63
Gross Volume	1	190
Gross / Net Volume	_ 1	190 / 182
Design and Material		
Door No & Type		2 sliding glass doors
Door Reversible		No
Tempered glass		Yes
Shelves No & Type		4 wire shelves chrome

Door Reversible	No	
Tempered glass	Yes	
Shelves No & Type	4 wire shelves chrome	
Shelf Color	Chrome	
Shelf Dimensions	395x328 mm	
Feet / Legs	4 adjustable feet	
Exterior Finish	Black	
Interior Finish	Stucco aluminium	
Interior Light	LED	
Lock	Yes	

Cooling and Functions		
Type of Controller		Electronic
Type of Cooling		Ventilated
Type of Defrost		Automatic
Refrigerant		R600a
Refrigerant Charge	g	70
Thermometer		Yes
Power and Consumption		
Energy Class		A
Max Ambient		30°C at 55% RH
Energy Consumption	kWh/24h	1.14
Annual Energy Cons.	kWh/year	416
Power		13 Amp


	Noise Level	dB(A)	44
	Dimensions		
	Internal Dimension (WxDxH)	mm	810 x 418 x 720
	External Dimension (WxDxH)	mm	900 x 515 x 870
	Packed Dimension (WxDxH)	mm	985 x 575 x 940
	40ft Container Load	pcs	96

V/Hz



Input Power

Voltage / Frequency





115

220-240/50

Electronic thermostat