

DXN 207 EcoX

Scotsman
Ice Systems

Ice Machine/Dispenser up to 110 kg

Item #:

Project:

Quantity:



FEATURES

- Compact ice or ice & water automatic dispenser, with appealing, contemporary "touch-screen" design.
- Ideal for free-refill self-service concepts with up to 2400 glasses filled per day and capable of dispensing ice for up to 200 customers in queue at one time.
- Available either touch-free or button activated.
- Possible to set ice only or ice & water on site and desired ice dosage (from 1' to 15' or continuous).
- Fast & friendly cleaning mode for the end user.
- Algorithm signaling when reservoir is temporarily empty.
- Full frontal visibility of settings and errors for preventative service check-up.
- Accessory: on request, it can be installed upon a specifically designed cabinet.



DXN 207
Cubelet 1 g
W 16 x D 15 x H 7-8 mm

CONDENSING
SYSTEM

Air cooled

INTERNAL BIN
CAPACITY

10 kg

REFRIGERANT
GAS

R290

OPERATING
REQUIREMENTS

	Minimum	Maximum
Air temperature	10°C	38°C
Water temperature	5°C	38°C
Water pressure	1 bar (14 psi)	5 bar (70 psi)
Electrical voltage	-10%	+10%

Certifications:



IMPORTANT NOTICE:
Models and specifications are subject to change without notice.
This spec sheet is meant for commercial purpose only. For
technical documentation please refer to our service manuals.

Download our free App Scotsman Ice
Apple store
Google play
Windows store

DOWNLOAD

www.scotsman-ice.it
www.scotsman-ice.com

Ice Machine/Dispenser up to 110 kg

DXN 207 EcoX

Scotsman
Ice Systems


Ice Machine/Dispenser up to 110 kg

Item #:

Project:

Quantity:

P
R
E
L
I
M
I
N
A
R
Y



UNIT DATA

Size (W x D x H) 427 x 544 x 772 mm
Net weight 53 kg

SHIPPING DATA

Carton (W x D x H) 490 x 610 x 940 mm
Weight 61 kg

			Compressor		Circuit wires		Max. fuse size	
Version	Voltage		Btu/h	W	No.	Ømm²	A	
DXN 207 AS	230/50/1				3	1.5	10	
			24 h ice production kg °C Amb. / °C Water		Energy consumption*		Water usage*	Instant power
Version	Condensation	Voltage	10°C/10°C	21°C/10°C	32°C/21°C	kWh/100 kg	kWh/24h	l/h W
DXN 207 AS	Air	230/50/1	110		68	17.9	12.2	2.8 610

(*) Data refer to 32°C Amb. / 21°C Water temperature conditions