MV 806

Scotsman lce Systems

Modular Ice Machine up to 430 kg

Item #:
Project:
Quantity:



FEATURES

- "Global Standard" width- 30" (76 cm) wide.
- Auto-Alert indicator lights- communicate about operating status: a diagnostic LED light guides the troubleshooting process and helps decisions regarding opening a service call.
- Front-facing Evaporator Ice forming process inspection and routine cleaning operations may be accomplished simply removing the front panel.
- Hand-removable water distribution tube- routine cleaning has never been so easy!
- Embedded antimicrobial- Ag-Ion® antimicrobial is present in selected food-zone components
- External Components- All external panel components are crafted for optimal aesthetic appeal through superior fit and finish.
- Reusable air filter is easily removable from the outside for ease of cleaning (in air-cooled models).



MV L 806 **Large Cube** 17 g W 29 x D 24 x H 29 mm



MV 806 **Dice Cube** 10 g W 22 x D 24 x H 22 mm

	REAL PROPERTY.
No Contraction	
1	M

MV HL 806 **Half Large Cube** 6 g W 10 x D 24 x H 29 mm CONDENSING SYSTEM

Air cooled Water cooled

REFRIGERANT GAS

R404A

	RECOMMENDED BINS						
	Head	Bins	kg				
		~	SB393	181			
		~	SB530	243			
		CBT42EMCD	SB550	252			
	MV806	CBT48EAMCD	SB948	406			
		CBT52EAMCD	SB1025	478			
		•	UBH1100	553			
		•	UBH1600	812			

VOLTAGE V/Hz/ph

230/50/1 230/60/1 400/50/3

LEGEND:

- ✓: Perfect combination between ice maker and bino: Ice chute cut-out performed upon installation
- CBTxxxxxxxxx : need additional bin top

Certifications:



		In
NSF.	ONCAP (C	LOA

	Minimum	Maximum		
Air temperature	10°C	43°C		
Water temperature	5°C	38°C		
Water pressure	1 bar (14 psi)	5 bar (70 psi)		
Electrical voltage	-10%	+10%		

OPERATING REQUIREMENTS

IMPORTANT NOTICE:

Models and specifications are subject to change without notice. This spec sheet is meant for commercial purpose only. For technical documentation please refer to our service manuals.

Download our free **App Scotsman Ice**Apple store
Google play
Windows store


www.scotsman-ice.it www.scotsman-ice.com

MV 806

Scotsman° Ice Systems

Modular Ice Machine up to 430 kg

Item #:
Project:
Quantity:



				Compressor		Circuit wires		Max. fuse size
		Version	Voltage	Btu/h	w	No.	Ømm²	Α
UNIT DATA		MV 806 AS	230/50/1	18497	5421	1		16
Size (W x D x H)	760 x 620 x 725 mm	MV 806 AS	400/50/3	18497	5421	1		16
Net weight	98 kg	MV 806 WS	230/50/1	18497	5421	1		16
		MV 806 WS	400/50/3	18497	5421	1		16
		MV 806 CO2 AS	400/50/3	0				
SHIPPING DATA		MV HL 806 AS	230/50/1	18497	5421	1		16
Carton (W x D x H)	830 x 690 x 870 mm	MV HL 806 WS	230/50/1	18497	5421	1		16
Weight	106 kg	MV L 806 AS	230/50/1	18497	5421	1		16
vveigne	100 kg	MV 806 AS	230/60/1	18497	5421	1		16
		MV 806 WS	230/60/1	18497	5421	1		16

		24 h ice production kg		Energy		Water usage*	Instant		
			ຶ່	Amb. / °C Wat	er	consum	iption*		power
Version	Condensation	Voltage	10°C/10°C	21°C/10°C	32°C/21°C	kWh/100 kg	kWh/24h	l/h	W
MV 806 AS	Air	230/50/1	430	400	305	13.1	12.8	19.0	2100
MV 806 AS	Air	400/50/3	430	400	305	13.1	12.1	19.0	1850
MV 806 WS	Water	230/50/1	370	355	318	10.6	10.4	210.0	2100
MV 806 WS	Water	400/50/3	370	355	318	10.6	10.4	210.0	1850
MV 806 CO2 AS	Air	400/50/3					0.0		
MV HL 806 AS	Air	230/50/1	430	400	305	13.1	12.8	19.0	2100
MV HL 806 WS	Water	230/50/1	370	355	318	10.6	10.4	210.0	1900
MV L 806 AS	Air	230/50/1	430	400	305	13.1	12.8	19.0	2100
MV 806 AS	Air	230/60/1	430	400	305	13.1	12.8	19.0	1900
MV 806 WS	Water	230/60/1	370	355	318	10.6	10.4	210.0	1900

(*) Data refer to 32°C Amb. / 21°C Water temperature conditions